



DIN 5156



Codice Articolo

TD	TD	TD	TD
----	----	----	----



	NEUTRO	NEUTRO	NEUTRO	NEUTRO
Tol	<b>ISO 228</b>	<b>+ 0.05</b>	<b>+ 0.10</b>	<b>+ 0.20</b>
Mat	HSS-E	HSS-E	HSS-E	HSS-E
Imbocco	<b>C</b>	<b>C</b>	<b>C</b>	<b>C</b>

I.tot	I.fil	gambo	∅	Preforo	mm	d x p				
90	18	6	4.9	6.56	7.72	<b>G 1/16 - 28</b>	59,80			
100	16	7	5.5	8.75	9.73	<b>G 1/8 - 28</b>	21,85	32,66	32,66	35,65
100	18	11	9	11.75	13.16	<b>G 1/4 - 19</b>	30,36	44,85	45,48	47,15
110	22	12	9	15.25	16.66	<b>G 3/8 - 19</b>	37,49	55,20	56,05	60,95
125	25	16	12	19	20.95	<b>G 1/2 - 14</b>	51,98	74,55	74,55	81,88
125	25	18	14.5	20.75	22.91	<b>G 5/8 - 14</b>	65,34			
140	25	20	16	24.5	26.44	<b>G 3/4 - 14</b>	85,10	119,60	115,18	128,80
150	25	22	18	28	30.2	<b>G 7/8 - 14</b>	112,70			
160	32	25	20	30.5	33.25	<b>G 1' - 11</b>	138,00		178,95	
180	28	32	24	35	37.9	<b>G 1' 1/8 - 11</b>	193,20			
180	32	32	24	39.5	41.91	<b>G 1' 1/4 - 11</b>	227,70			
190	36	36	29	41.5	44.32	<b>G 1' 3/8 - 11</b>				
200	36	36	29	45	47.8	<b>G 1' 1/2 - 11</b>	315,10			
200	36	40	29	51	53.75	<b>G 1' 3/4 - 11</b>				
220	36	45	35	57	59.61	<b>G 2' - 11</b>	579,60			
250	50	45	35	63.3	65.71	<b>G 2' 1/4 - 11</b>				
270	55	56	44	72.8	75.18	<b>G 2' 1/2 - 11</b>	943,00			
270	55	56	44	85.5	87.88	<b>G 3' - 11</b>				