


BS 93 (1951)

BA

FILET BA
BA THREAD
ROSCA BA



PERFIL TEORICO • PROFIL THÉORIQUE • THEORETICAL PROFILE

Rosca / Thread / Filet D	Paso / Pitch / Pass mm	Ø Exterior Outside Ø / Ø Extérieur d = D	Ø Medio Pitch Ø / Ø Moyen d ₂ = D ₂	Ø Núcleo Core Ø / Ø Noyau d _n = D ₁	Altura / Height / Hauteur H ₁
BA-0	1	6,00	5,400	4,80	0,600
BA-1	0,9	5,30	4,760	4,22	0,540
BA-2	0,81	4,70	4,215	3,73	0,485
BA-3	0,73	4,10	3,660	3,22	0,440
BA-4	0,66	3,60	3,205	2,81	0,395
BA-5	0,59	3,20	2,845	2,49	0,355
BA-6	0,53	2,80	2,480	2,16	0,320
BA-7	0,48	2,50	2,210	1,92	0,290
BA-8	0,43	2,20	1,940	1,68	0,260
BA-9	0,39	1,90	1,665	1,43	0,235
BA-10	0,35	1,70	1,490	1,28	0,210
BA-11	0,31	1,50	1,315	1,13	0,185
BA-12	0,28	1,30	1,130	0,96	0,170
BA-13	0,25	1,20	1,050	0,90	0,150
BA-14	0,23	1,00	0,860	0,72	0,140

TUERCA · ÉCROU · NUT

TORNILLO · VIS · SCREW

Rosca Thread Filet D	Paso Pitch Pass mm	Ø Exterior Outside Ø Ø Extérieur D min.	Ø Medio Pitch Ø / Ø Moyen		Ø Núcleo Core Ø / Ø Noyau		Ø Exterior Outside Ø / Ø Extérieur		Ø Medio Pitch Ø / Ø Moyen		Ø Núcleo Core Ø / Ø Noyau	
			D ₂ min.	D ₂ máx.	D ₁ máx.	D ₁ min.	d máx.	d min.	d ₂ máx.	d ₂ min.	d _n máx.	d _n min.
BA-0	1	6,000	5,400	5,550	4,800	5,175	6,000	5,850	5,400	5,300	4,800	4,600
BA-1	0,9	5,300	4,760	4,900	4,220	4,560	5,300	5,165	4,760	4,670	4,220	4,035
BA-2	0,81	4,700	4,215	4,340	3,730	4,035	4,700	4,580	4,215	4,130	3,730	3,560
BA-3	0,73	4,100	3,660	3,780	3,220	3,495	4,100	3,990	3,660	3,580	3,220	3,065
BA-4	0,66	3,600	3,205	3,315	2,810	3,060	3,600	3,500	3,205	3,130	2,810	2,665
BA-5	0,59	3,200	2,845	2,945	2,490	2,710	3,200	3,110	2,845	2,775	2,490	2,355
BA-6	0,53	2,800	2,480	2,575	2,160	2,360	2,800	2,720	2,480	2,420	2,160	2,035
BA-7	0,48	2,500	2,210	2,300	1,920	2,100	2,500	2,430	2,210	2,150	1,920	1,805
BA-8	0,43	2,200	1,940	2,020	1,680	1,840	2,200	2,135	1,940	1,885	1,680	1,570
BA-9	0,39	1,900	1,665	1,740	1,430	1,575	1,900	1,840	1,665	1,815	1,430	1,330
BA-10	0,35	1,700	1,490	1,560	1,280	1,410	1,700	1,645	1,490	1,440	1,280	1,185
BA-11	0,31	1,500	1,315	1,380	1,130	1,245	1,500	1,420	1,315	1,260	1,130	1,020
BA-12	0,28	1,300	1,130	1,195	0,960	1,065	1,300	1,230	1,130	1,075	0,960	0,855
BA-13	0,25	1,200	1,050	1,110	0,900	0,995	1,200	1,135	1,050	1,000	0,900	0,800
BA-14	0,23	1,000	0,860	0,920	0,720	0,805	1,000	0,940	0,860	0,810	0,720	0,625