





NPT

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.1 Norm
Norme ASME B 1.20.1
Norma ASME B 1.20.1

MACHINE CUTTING TAP
TARAU MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA




1643082	Ø	P	L	l1	d	□	●Ø
16430821010518	1/16	27	2.13	.69	.3125	.234	D
16430821010519	1/8	27	2.13	.75	.4375	.328	R
16430821010520	1/4	18	2.44	1.06	.5625	.421	7/16
16430821010521	3/8	18	2.56	1.06	.7000	.531	37/64
16430821010522	1/2	14	3.13	1.38	.6875	.515	23/62
16430821010523	3/4	14	3.25	1.38	.9063	.679	59/64
16430821010524	1"	11,5	3.75	1.75	1.1250	.843	1 5/32
16430821010525	1-1/4	11,5	4.00	1.75	1.3125	.984	1 1/2
16430821010526	1-1/2	11,5	4.25	1.75	1.5000	1.125	1 47/64
16430821010527	2"	11,5	4.25	1.75	1.8750	1.406	2 7/32






NPTF

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.3 Norm
Norme ASME B 1.20.3
Norma ASME B 1.20.3

MACHINE CUTTING TAP
TARAU MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA




1643082	Ø	P	L	l1	d	□	●Ø
16430821010529	1/16	27	2.13	.69	.3125	.234	C
16430821010530	1/8	27	2.13	.75	.4375	.328	Q
16430821010531	1/4	18	2.44	1.06	.5625	.421	7/16
16430821010532	3/8	18	2.56	1.06	.7000	.531	9/16
16430821010533	1/2	14	3.13	1.38	.6875	.515	45/64
16430821010534	3/4	14	3.25	1.38	.9063	.679	29/32
16430821010535	1"	11,5	3.75	1.75	1.1250	.843	1 9/64
16430821010536	1-1/4	11,5	4.00	1.75	1.3125	.984	1 31/64
16430821010537	1-1/2	11,5	4.25	1.75	1.5000	1.125	1 23/32




NPS

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.1 Norm
Norme ASME B 1.20.1
Norma ASME B 1.20.1

MACHINE CUTTING TAP
TARAU MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA




1653082	Ø	P	L	l1	d	□	●Ø
16530821010581	1/8	27	2.13	.75	.4375	.328	S
16530821010582	1/4	18	2.44	1.06	.5625	.421	29/64
16530821010583	3/8	18	2.56	1.06	.7000	.531	19/32
16530821010584	1/2	14	3.13	1.38	.6875	.515	47/64
16530821010585	3/4	14	3.25	1.38	.9063	.679	15/64
16530821010586	1"	11-1/2	3.75	1.75	1.1250	.843	1 3/16






NPT

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.1 Norm
Norme ASME B 1.20.1
Norma ASME B 1.20.1

MACHINE CUTTING TAP
TARAU MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA




1643136	Ø	P	L	l1	d	□	●Ø
16431361010551	1/8	27	2.13	.75	.4375	.328	R
16431361010552	1/4	18	2.44	1.06	.5625	.421	7/16
16431361010553	3/8	18	2.56	1.06	.7000	.531	37/64
16431361010554	1/2	14	3.13	1.38	.6875	.515	23/62
16431361010555	3/4	14	3.25	1.38	.9063	.679	59/64
16431361010556	1"	11,5	3.75	1.75	1.1250	.843	1 5/32
16431361010557	1-1/4	11,5	4.00	1.75	1.3125	.984	1 1/2
16431361010558	1-1/2	11,5	4.25	1.75	1.5000	1.125	1 47/64
16431361010559	2"	11,5	4.25	1.75	1.8750	1.406	2 7/32





NPTF

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.3 Norm
Norme ASME B 1.20.3
Norma ASME B 1.20.3

MACHINE CUTTING TAP
TARAUD MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA




1643136	Ø	P	L	l1	d	□	●Ø
16431361010561	1/8	27	2.13	.75	.4375	.328	Q
16431361010562	1/4	18	2.44	1.06	.5625	.421	7/16
16431361010563	3/8	18	2.56	1.06	.7000	.531	9/16
16431361010564	1/2	14	3.13	1.38	.6875	.515	45/64
16431361010565	3/4	14	3.25	1.38	.9063	.679	29/32
16431361010566	1"	11,5	3.75	1.75	1.1250	.843	1 9/64
16431361010567	1-1/4	11,5	4.00	1.75	1.3125	.984	1 31/64







NPT

Taper pipe thread
Filet conique gaz
Rosca cónica para tubo



ASME B 1.20.1 Norm
Norme ASME B 1.20.1
Norma ASME B 1.20.1

MACHINE CUTTING TAP
TARAUD MACHINE Á COUPE
MACHO DE CORTE A MÁQUINA



1643088	Ø	P	L	l1	d	□	●Ø
16430881011760	1/16	27	2.13	.69	.3125	.234	D
16430881011761	1/8	27	2.13	.75	.4375	.328	R
16430881011762	1/4	18	2.44	1.06	.5625	.421	7/16
16430881011763	3/8	18	2.56	1.06	.7000	.531	37/64
16430881011764	1/2	14	3.13	1.38	.6875	.515	23/62
16430881011765	3/4	14	3.25	1.38	.9063	.679	59/64
16430881011766	1"	11,5	3.75	1.75	1.1250	.843	1 5/32
16430881011767	1-1/4	11,5	4.00	1.75	1.3125	.984	1 1/2
16430881011768	1-1/2	11,5	4.25	1.75	1.5000	1.125	1 47/64
16430881011769	2"	11,5	4.25	1.75	1.8750	1.406	2 7/32