



8143811	EAN	Ø	d2	L	I1	QTY PCB
81438110780	3221910780494	7,8	7,8	308	82	1 10
81438110800	3221910780500	8	8	308	82	1 10



**HSS ROLL FORGED JOBBER
LENGTH DRILL MORSE TAPER
SHANK.**

**BROCA HSS LAMINADA. SERIE
CORTA. MANGO CÓNICO.**

**PUNTA HSS LAMINATA CONO
MORSE.**



For steels.

Para aceros en general.

Foratura acciaio comune.



Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

9020061	EAN	Ø	CM	L	I1	QTY PCB
90200610500	3221910102784	5	CM1	133	52	1 1
90200610520	3221910102791	5,2	CM1	133	52	1 1
90200610550	3221910102814	5,5	CM1	138	57	1 1
90200610600	3221910102845	6	CM1	138	57	1 1
90200610650	3221910102876	6,5	CM1	144	63	1 1
90200610680	3221910102890	6,8	CM1	150	69	1 1
90200610700	3221910102906	7	CM1	150	69	1 1
90200610750	3221910102937	7,5	CM1	150	69	1 1*
90200610800	3221910102968	8	CM1	156	75	1 1
90200610850	3221910102999	8,5	CM1	156	75	1 1
90200610900	3221910103026	9	CM1	162	81	1 1
90200610950	3221910103057	9,5	CM1	162	81	1 1*
90200611000	3221910103088	10	CM1	168	87	1 1
90200611020	3221910103101	10,2	CM1	168	87	1 1
90200611025	3221910103118	10,25	CM1	168	87	1 1
90200611050	3221910103125	10,5	CM1	168	87	1 1
90200611100	3221910103156	11	CM1	175	94	1 1
90200611150	3221910103187	11,5	CM1	175	94	1 1
90200611200	3221910103217	12	CM1	181	101	1 1
90200611250	3221910103248	12,5	CM1	181	101	1 1
90200611300	3221910813987	13	CM1	181	101	1 1
90200611350	3221910813994	13,5	CM1	189	108	1 1
90200611400	3221910814007	14	CM1	189	108	1 1
90200611450	3221910103361	14,5	CM2	214	114	1 1
90200611500	3221910814014	15	CM2	214	114	1 1
90200611550	3221910814021	15,5	CM2	218	120	1 1
90200611600	3221910814038	16	CM2	218	120	1 1
90200611650	3221910814045	16,5	CM2	223	125	1 1
90200611700	3221910814052	17	CM2	223	125	1 1
90200611750	3221910814069	17,5	CM2	228	130	1 1
90200611800	3221910814076	18	CM2	228	130	1 1
90200611850	3221910814083	18,5	CM2	233	135	1 1
90200611900	3221910814090	19	CM2	233	135	1 1
90200611950	3221910814106	19,5	CM2	238	140	1 1
90200612000	3221910814113	20	CM2	238	140	1 1
90200612050	3221910103644	20,5	CM2	243	145	1 1
90200612100	3221910814120	21	CM2	243	145	1 1
90200612150	3221910103682	21,5	CM2	248	150	1 1
90200612200	3221910814137	22	CM2	248	150	1 1
90200612250	3221910103729	22,5	CM2	276	155	1 1
90200612300	3221910814144	23	CM2	276	155	1 1
90200612350	3221910103767	23,5	CM3	276	155	1 1*
90200612400	3221910814151	24	CM3	281	160	1 1
90200612450	3221910103804	24,5	CM3	281	160	1 1*
90200612500	3221910814168	25	CM3	281	160	1 1
90200612550	3221910103842	25,5	CM3	286	165	1 1
90200612600	3221910814175	26	CM3	286	165	1 1
90200612650	3221910103873	26,5	CM3	286	165	1 1
90200612700	3221910814182	27	CM3	291	170	1 1
90200612750	3221910103897	27,5	CM3	291	170	1 1
90200612800	3221910814199	28	CM3	291	170	1 1
90200612850	3221910103910	28,5	CM3	296	175	1 1





9020061	EAN	Ø	CM	L	I1	QTY PCB
90200612900	3221910814205	29	CM3	296	175	1 1
90200612950	3221910103934	29,5	CM3	296	175	1 1
90200613000	3221910814212	30	CM3	296	175	1 1
90200613050	3221910103958	30,5	CM3	301	180	1 1
90200613100	3221910814229	31	CM3	301	180	1 1
90200613150	3221910103972	31,5	CM3	301	180	1 1
90200613200	3221910814236	32	CM4	334	185	1 1
90200613250	3221910104009	32,5	CM4	334	185	1 1*
90200613300	3221910104016	33	CM4	334	185	1 1
90200613350	3221910104023	33,5	CM4	334	185	1 1*
90200613400	3221910104030	34	CM4	339	190	1 1
90200613450	3221910104047	34,5	CM4	339	190	1 1*
90200613500	3221910104054	35	CM4	339	190	1 1
90200613550	3221910104061	35,5	CM4	339	190	1 1*
90200613600	3221910104078	36	CM4	344	195	1 1
90200613650	3221910104085	36,5	CM4	344	195	1 1*
90200613700	3221910104092	37	CM4	344	195	1 1
90200613800	3221910104115	38	CM4	349	200	1 1
90200613850	3221910104122	38,5	CM4	349	200	1 1*
90200613900	3221910104139	39	CM4	349	200	1 1
90200614000	3221910104153	40	CM4	349	200	1 1
90200614050	3221910104160	40,5	CM4	354	205	1 1*
90200614100	3221910104177	41	CM4	354	205	1 1
90200614200	3221910104191	42	CM4	354	205	1 1
90200614300	3221910104214	43	CM4	359	210	1 1
90200614400	3221910104238	44	CM4	359	210	1 1
90200614500	3221910104252	45	CM4	359	210	1 1
90200614600	3221910104276	46	CM4	364	215	1 1
90200614800	3221910104313	48	CM4	369	220	1 1
90200614900	3221910104337	49	CM4	369	220	1 1
90200615000	3221910104351	50	CM4	369	220	1 1
90200615200	3221910104382	52	CM5	412	225	1 1*
90200615300	3221910104399	53	CM5	412	225	1 1*
90200615500	3221910104412	55	CM5	417	230	1 1*
90200615600	3221910104429	56	CM5	417	230	1 1*
90200615700	3221910104436	57	CM5	422	235	1 1*
90200617000	3221910104559	70	CM5	412	225	1 1*



HSS FULLY GROUND JOBBER
LENGTH DRILL MORSE TAPER
SHANK | T LINE

BROCA HSS RECTIFICADA. SERIE
CORTA. MANGO CÓNICO | T LINE

PUNTA HSS ATTACCO CONO MORSE
CORTO | T LINE



For steels and cast irons.

Para aceros y fundiciones.

Foratura di acciai <950 N/mm² e ghise.



Steels for heat treatment
 200-700N/mm²
 Aceros para tratamiento térmico
 200-700 N/mm²
 Acciai per trattamento termico
 200-700N/mm²

1143791	EAN	Ø	CM	L	I1	QTY PCB
11437911000	3221910216894	10	CM1	168	87	1 1
11437911050	3221910216900	10,5	CM1	168	87	1 1
11437911100	3221910216917	11	CM1	175	94	1 1
11437911150	3221910216924	11,5	CM1	175	94	1 1
11437911200	3221910216931	12	CM1	182	101	1 1
11437911250	3221910216948	12,5	CM1	182	101	1 1
11437911300	3221910216955	13	CM1	182	101	1 1
11437911350	3221910216962	13,5	CM1	189	108	1 1
11437911400	3221910216979	14	CM1	189	108	1 1
11437911450	3221910216986	14,5	CM2	212	114	1 1
11437911500	3221910216993	15	CM2	212	114	1 1
11437911550	3221910217006	15,5	CM2	218	120	1 1
11437911600	3221910217013	16	CM2	218	120	1 1
11437911650	3221910217020	16,5	CM2	223	125	1 1
11437911700	3221910217037	17	CM2	223	125	1 1
11437911750	3221910217044	17,5	CM2	228	130	1 1
11437911800	3221910217051	18	CM2	228	130	1 1



* Jusqu'à épaissement des stocks
 While stocks last





1143791	EAN	Ø	CM	L	I1	QTY PCB
11437911850	3221910217068	18,5	CM2	233	135	1 1
11437911900	3221910217075	19	CM2	233	135	1 1
11437911950	3221910217082	19,5	CM2	238	140	1 1
11437912000	3221910217099	20	CM2	238	140	1 1
11437912050	3221910217105	20,5	CM2	243	145	1 1
11437912100	3221910217112	21	CM2	243	145	1 1
11437912150	3221910217129	21,5	CM2	248	150	1 1
11437912200	3221910217136	22	CM2	248	150	1 1
11437912250	3221910217143	22,5	CM2	253	155	1 1
11437912300	3221910217150	23	CM2	253	155	1 1
11437912350	3221910217167	23,5	CM3	276	155	1 1
11437912400	3221910217174	24	CM3	281	160	1 1
11437912450	3221910217181	24,5	CM3	281	160	1 1
11437912500	3221910217198	25	CM3	281	160	1 1
11437912550	3221910217204	25,5	CM3	286	165	1 1
11437912600	3221910217211	26	CM3	286	165	1 1
11437912650	3221910217228	26,5	CM3	286	165	1 1
11437912700	3221910217235	27	CM3	291	170	1 1
11437912750	3221910217242	27,5	CM3	291	170	1 1
11437912800	3221910217259	28	CM3	291	170	1 1
11437912850	3221910217266	28,5	CM3	296	175	1 1
11437912900	3221910217273	29	CM3	296	175	1 1
11437912950	3221910217280	29,5	CM3	296	175	1 1
11437913000	3221910217297	30	CM3	296	175	1 1
11437913050	3221910217303	30,5	CM3	301	180	1 1
11437913100	3221910217310	31	CM3	301	180	1 1
11437913150	3221910217327	31,5	CM3	301	180	1 1
11437913200	3221910217334	32	CM4	334	185	1 1
11437913300	3221910217341	33	CM4	334	185	1 1
11437913400	3221910217358	34	CM4	339	190	1 1
11437913500	3221910217365	35	CM4	344	195	1 1
11437913600	3221910217372	36	CM4	344	195	1 1
11437913700	3221910217389	37	CM4	344	195	1 1
11437913800	3221910217396	38	CM4	349	200	1 1
11437913900	3221910217402	39	CM4	349	200	1 1
11437914000	3221910217419	40	CM4	349	200	1 1



**HSS FULLY GROUND | JOBBER
LENGTH DRILL | MORSE TAPER
SHANK.**

**BROCA HSS RECTIFICADA. SERIE
CORTA. MANGO CÓNICO.**

**PUNTA HSS ATTACCO CONO MORSE
CORTO.**



For steels and cast irons. Robustness, accuracy.

Para aceros y fundiciones. Robustez, precisión.

Foratura di acciai <950 N/mm² e ghise. Robustezza e precisione.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Heat Treatable Steels <950N/
mm²
Aceros aleados y tratados <
950N/mm²
Acciai per trattamento termico
<950N/mm²



Austenitic stainless steels
Aceros inoxidables austeníticos
Acciai inossidabili austenitici



Cast iron
Fundiciones
Ghisa



1140981	EAN	Ø	CM	L	I1	QTY PCB
11409810300	3221910177751	3	CM1	114	33	1 1
11409810325	3221910177775	3,25	CM1	117	36	1 1*
11409810350	3221910177799	3,5	CM1	120	39	1 1
11409810400	3221910177836	4	CM1	124	43	1 1
11409810420	3221910177850	4,2	CM1	124	43	1 1
11409810450	3221910177904	4,5	CM1	128	47	1 1
11409810500	3221910177973	5	CM1	133	52	1 1
11409810510	3221910177980	5,1	CM1	133	52	1 1*
11409810520	3221910178000	5,2	CM1	133	52	1 1
11409810530	3221910178024	5,3	CM1	133	52	1 1*
11409810550	3221910178048	5,5	CM1	138	57	1 1
11409810575	3221910178086	5,75	CM1	138	57	1 1
11409810600	3221910178123	6	CM1	138	57	1 1



* Jusqu'à épuisement des stocks

While stocks last





140981	EAN	Ø	CM	L	I1	QTY	PCB
11409810620	3221910178147	6,2	CM1	144	63	1	1
11409810625	3221910178154	6,25	CM1	144	63	1	1
11409810650	3221910178192	6,5	CM1	144	63	1	1
11409810670	3221910178215	6,7	CM1	144	63	1	1
11409810675	3221910178222	6,75	CM1	150	69	1	1
11409810680	3221910178239	6,8	CM1	150	69	1	1
11409810700	3221910178253	7	CM1	150	69	1	1
11409810725	3221910178291	7,25	CM1	150	69	1	1*
11409810750	3221910178321	7,5	CM1	150	69	1	1
11409810775	3221910178369	7,75	CM1	156	75	1	1
11409810780	3221910178376	7,8	CM1	156	75	1	1*
11409810790	3221910178383	7,9	CM1	156	75	1	1
11409810800	3221910178406	8	CM1	156	75	1	1
11409810825	3221910178437	8,25	CM1	156	75	1	1
11409810850	3221910178475	8,5	CM1	156	75	1	1
11409810880	3221910178529	8,8	CM1	162	81	1	1
11409810900	3221910178543	9	CM1	162	81	1	1
11409810925	3221910178581	9,25	CM1	162	81	1	1
11409810950	3221910178611	9,5	CM1	162	81	1	1
11409810960	3221910178635	9,6	CM1	168	87	1	1*
11409810975	3221910178659	9,75	CM1	168	87	1	1
11409810980	3221910178666	9,8	CM1	168	87	1	1
11409811000	3221910178697	10	CM1	168	87	1	1
11409811020	3221910178727	10,2	CM1	168	87	1	1
11409811025	3221910178734	10,25	CM1	168	87	1	1
11409811030	3221910178741	10,3	CM1	168	87	1	1*
11409811040	3221910178765	10,4	CM1	168	87	1	1*
11409811050	3221910178772	10,5	CM1	168	87	1	1
11409811070	3221910178796	10,7	CM1	175	94	1	1*
11409811075	3221910178819	10,75	CM1	175	94	1	1
11409811080	3221910178826	10,8	CM1	175	94	1	1
11409811100	3221910178840	11	CM1	175	94	1	1
11409811125	3221910178888	11,25	CM1	175	94	1	1*
11409811140	3221910178901	11,4	CM1	175	94	1	1*
11409811150	3221910178918	11,5	CM1	175	94	1	1
11409811170	3221910178949	11,7	CM1	175	94	1	1*
11409811175	3221910178956	11,75	CM1	175	94	1	1
11409811200	3221910178994	12	CM1	182	101	1	1
11409811220	3221910179014	12,2	CM1	182	101	1	1*
11409811225	3221910179021	12,25	CM1	182	101	1	1
11409811230	3221910179038	12,3	CM1	182	101	1	1
11409811240	3221910179045	12,4	CM1	182	101	1	1*
11409811250	3221910179052	12,5	CM1	182	101	1	1
11409811270	3221910179076	12,7	CM1	182	101	1	1
11409811275	3221910179083	12,75	CM1	182	101	1	1
11409811300	3221910179113	13	CM1	182	101	1	1
11409811310	3221910179137	13,1	CM1	182	101	1	1
11409811320	3221910179144	13,2	CM1	182	101	1	1
11409811325	3221910179151	13,25	CM1	189	108	1	1
11409811350	3221910179199	13,5	CM1	189	108	1	1
11409811360	3221910179205	13,6	CM1	189	108	1	1
11409811375	3221910179229	13,75	CM1	189	108	1	1
11409811380	3221910179236	13,8	CM1	189	108	1	1
11409811390	3221910179250	13,9	CM1	189	108	1	1*
11409811400	3221910179267	14	CM1	189	108	1	1
11409811410	3221910179274	14,1	CM2	212	114	1	1
11409811420	3221910179281	14,2	CM2	212	114	1	1
11409811425	3221910179298	14,25	CM2	212	114	1	1
11409811450	3221910179342	14,5	CM2	212	114	1	1
11409811475	3221910179380	14,75	CM2	212	114	1	1
11409811500	3221910179410	15	CM2	212	114	1	1
11409811510	3221910179434	15,1	CM2	218	120	1	1*
11409811525	3221910179458	15,25	CM2	218	120	1	1
11409811530	3221910179465	15,3	CM2	218	120	1	1
11409811550	3221910179496	15,5	CM2	218	120	1	1
11409811575	3221910179526	15,75	CM2	218	120	1	1
11409811580	3221910179533	15,8	CM2	218	120	1	1
11409811600	3221910179564	16	CM2	218	120	1	1
11409811610	3221910179571	16,1	CM2	223	125	1	1
11409811620	3221910179588	16,2	CM2	223	125	1	1
11409811625	3221910179595	16,25	CM2	223	125	1	1
11409811650	3221910179632	16,5	CM2	223	125	1	1
11409811675	3221910179670	16,75	CM2	223	125	1	1
11409811680	3221910179687	16,8	CM2	223	125	1	1
11409811690	3221910179694	16,9	CM2	223	125	1	1*
11409811700	3221910179700	17	CM2	223	125	1	1
11409811710	3221910179724	17,1	CM2	228	130	1	1*
11409811720	3221910179731	17,2	CM2	228	130	1	1
11409811725	3221910179748	17,25	CM2	228	130	1	1*
11409811750	3221910179786	17,5	CM2	228	130	1	1
11409811770	3221910179809	17,7	CM2	228	130	1	1

* Jusqu'à épuisement des stocks

White stocks last





1140981	EAN	Ø	CM	L	I1	QTY	PCB
11409811775	3221910179816	17,75	CM2	228	130	1	1
11409811800	3221910179854	18	CM2	228	130	1	1
11409811820	3221910179878	18,2	CM2	233	135	1	1
11409811825	3221910179885	18,25	CM2	233	135	1	1
11409811850	3221910179922	18,5	CM2	233	135	1	1
11409811875	3221910179960	18,75	CM2	233	135	1	1
11409811900	3221910179991	19	CM2	233	135	1	1
11409811910	3221910180010	19,1	CM2	238	140	1	1
11409811920	3221910180027	19,2	CM2	238	140	1	1
11409811925	3221910180034	19,25	CM2	238	140	1	1
11409811950	3221910180072	19,5	CM2	238	140	1	1
11409811960	3221910180089	19,6	CM2	238	140	1	1
11409811975	3221910180102	19,75	CM2	238	140	1	1
11409811980	3221910180119	19,8	CM2	238	140	1	1
11409812000	3221910180140	20	CM2	238	140	1	1
11409812020	3221910180164	20,2	CM2	243	145	1	1
11409812025	3221910180188	20,25	CM2	243	145	1	1
11409812040	3221910180201	20,4	CM2	243	145	1	1*
11409812050	3221910180218	20,5	CM2	243	145	1	1
11409812075	3221910180256	20,75	CM2	243	145	1	1
11409812100	3221910180287	21	CM2	243	145	1	1
11409812150	3221910180362	21,5	CM2	248	150	1	1
11409812175	3221910180393	21,75	CM2	248	150	1	1
11409812200	3221910180430	22	CM2	248	150	1	1
11409812250	3221910180515	22,5	CM2	253	155	1	1
11409812275	3221910180553	22,75	CM2	253	155	1	1
11409812300	3221910180584	23	CM2	253	155	1	1
11409812350	3221910180621	23,5	CM3	276	155	1	1
11409812400	3221910180652	24	CM3	281	160	1	1
11409812425	3221910180683	24,25	CM3	281	160	1	1
11409812450	3221910180690	24,5	CM3	281	160	1	1
11409812475	3221910180713	24,75	CM3	281	160	1	1*
11409812500	3221910180720	25	CM3	281	160	1	1
11409812525	3221910180744	25,25	CM3	286	165	1	1*
11409812550	3221910180768	25,5	CM3	286	165	1	1
11409812575	3221910180775	25,75	CM3	286	165	1	1
11409812600	3221910180782	26	CM3	286	165	1	1
11409812625	3221910180799	26,25	CM3	286	165	1	1*
11409812650	3221910180805	26,5	CM3	286	165	1	1
11409812700	3221910180836	27	CM3	291	170	1	1
11409812725	3221910180843	27,25	CM3	291	170	1	1*
11409812750	3221910180850	27,5	CM3	291	170	1	1
11409812800	3221910180881	28	CM3	291	170	1	1
11409812850	3221910180904	28,5	CM3	296	175	1	1
11409812900	3221910180935	29	CM3	296	175	1	1
11409812950	3221910180959	29,5	CM3	296	175	1	1
11409813000	3221910180980	30	CM3	296	175	1	1
11409813025	3221910181017	30,25	CM3	301	180	1	1*
11409813050	3221910181024	30,5	CM3	301	180	1	1
11409813100	3221910181048	31	CM3	301	180	1	1
11409813125	3221910181055	31,25	CM3	301	180	1	1*
11409813150	3221910181062	31,5	CM3	301	180	1	1
11409813175	3221910181079	31,75	CM3	306	185	1	1
11409813200	3221910181086	32	CM4	334	185	1	1
11409813250	3221910181093	32,5	CM4	334	185	1	1
11409813300	3221910181116	33	CM4	334	185	1	1
11409813350	3221910181130	33,5	CM4	334	185	1	1
11409813400	3221910181147	34	CM4	339	190	1	1
11409813450	3221910181154	34,5	CM4	339	190	1	1
11409813500	3221910181185	35	CM4	339	190	1	1
11409813550	3221910181192	35,5	CM4	339	190	1	1
11409813600	3221910181215	36	CM4	344	195	1	1
11409813650	3221910181239	36,5	CM4	344	195	1	1
11409813700	3221910181253	37	CM4	344	195	1	1
11409813750	3221910181277	37,5	CM4	344	195	1	1
11409813800	3221910181284	38	CM4	349	200	1	1
11409813850	3221910181307	38,5	CM4	349	200	1	1
11409813900	3221910181321	39	CM4	349	200	1	1
11409813950	3221910181338	39,5	CM4	349	200	1	1
11409814000	3221910181369	40	CM4	349	200	1	1
11409814050	3221910181383	40,5	CM4	354	205	1	1
11409814100	3221910181390	41	CM4	354	205	1	1
11409814150	3221910181413	41,5	CM4	354	205	1	1
11409814200	3221910181437	42	CM4	354	205	1	1
11409814250	3221910181444	42,5	CM4	354	205	1	1
11409814300	3221910181451	43	CM4	359	210	1	1
11409814350	3221910181468	43,5	CM4	359	210	1	1
11409814400	3221910181475	44	CM4	359	210	1	1
11409814450	3221910181499	44,5	CM4	359	210	1	1
11409814500	3221910181512	45	CM4	359	210	1	1
11409814600	3221910181536	46	CM4	364	215	1	1

* Jusqu'à épuisement des stocks

White stocks last





1140981	EAN	Ø	CM	L	I1	QTY PCB	
11409814700	3221910181550	47	CM4	364	215	1	1
11409814800	3221910181581	48	CM4	369	220	1	1
11409814900	3221910181604	49	CM4	369	220	1	1
11409815000	3221910181628	50	CM4	369	220	1	1
11409815100	3221910181659	51	CM5	412	225	1	1
11409815200	3221910181673	52	CM5	412	225	1	1
11409815300	3221910181697	53	CM5	412	225	1	1
11409815400	3221910181710	54	CM5	417	230	1	1
11409815500	3221910181734	55	CM5	417	230	1	1
11409815600	3221910181758	56	CM5	417	230	1	1
11409815700	3221910181772	57	CM5	422	235	1	1
11409815800	3221910181796	58	CM5	422	235	1	1
11409815900	3221910181819	59	CM5	422	235	1	1
11409816000	3221910181833	60	CM5	422	235	1	1
11409816500	3221910181901	65	CM5	432	245	1	1*
11409817000	3221910181956	70	CM5	437	250	1	1*



HSSE5 FULLY GROUND | JOBBER LENGTH DRILL | MORSE TAPER SHANK.

BROCA HSSE5 RECTIFICADA. SERIE CORTA. MANGO CÓNICO.

PUNTA HSSE5 ATTACCO CONO MORSE CORTO.



For stainless steels. High performance.

Para aceros inoxidables. Gran rendimiento.

Foratura acciai inossidabili.



Ferritic stainless steels
Aceros inoxidables ferríticos
acciai inossidabili ferritici



Martensitic stainless steels
Aceros inoxidables martensíticos
acciai inossidabili martensitici



Austenitic stainless steels
Aceros inoxidables austeníticos
acciai inossidabili austenitici

1141051	EAN	Ø	CM	L	I1	QTY PCB	
11410511000	3221910184902	10	CM1	168	87	1	1
11410511050	3221910184919	10,5	CM1	168	87	1	1
11410511100	3221910184926	11	CM1	175	94	1	1
11410511150	3221910184933	11,5	CM1	175	94	1	1
11410511200	3221910184957	12	CM1	182	101	1	1
11410511250	3221910184964	12,5	CM1	182	101	1	1
11410511300	3221910184971	13	CM1	182	101	1	1
11410511350	3221910184988	13,5	CM1	189	108	1	1
11410511400	3221910184995	14	CM1	189	108	1	1
11410511450	3221910185008	14,5	CM2	212	114	1	1
11410511500	3221910185015	15	CM2	212	114	1	1
11410511550	3221910185022	15,5	CM2	218	120	1	1
11410511600	3221910185039	16	CM2	218	120	1	1
11410511650	3221910185053	16,5	CM2	223	125	1	1
11410511700	3221910185060	17	CM2	223	125	1	1
11410511750	3221910185077	17,5	CM2	228	130	1	1
11410511800	3221910185084	18	CM2	228	130	1	1
11410511850	3221910185091	18,5	CM2	233	135	1	1
11410511900	3221910185107	19	CM2	233	135	1	1
11410511950	3221910185114	19,5	CM2	238	140	1	1
11410512000	3221910185121	20	CM2	238	140	1	1
11410512050	3221910185138	20,5	CM2	243	145	1	1
11410512100	3221910185145	21	CM2	243	145	1	1
11410512150	3221910185152	21,5	CM2	248	150	1	1
11410512200	3221910185169	22	CM2	248	150	1	1
11410512250	3221910185176	22,5	CM2	253	155	1	1
11410512300	3221910185183	23	CM2	253	155	1	1
11410512350	3221910185190	23,5	CM3	276	155	1	1
11410512400	3221910185206	24	CM3	281	160	1	1
11410512450	3221910185213	24,5	CM3	281	160	1	1
11410512500	3221910185220	25	CM3	281	160	1	1
11410512550	3221910185237	25,5	CM3	286	165	1	1
11410512600	3221910185244	26	CM3	286	165	1	1
11410512650	3221910185251	26,5	CM3	286	165	1	1
11410512700	3221910185268	27	CM3	291	170	1	1
11410512750	3221910185275	27,5	CM3	291	170	1	1
11410512800	3221910185282	28	CM3	291	170	1	1
11410512850	3221910185299	28,5	CM3	296	175	1	1
11410512900	3221910185305	29	CM3	296	175	1	1



* Jusqu'à épaissement des stocks
While stocks last





1141051	EAN	Ø	CM	L	I1	QTY PCB
11410512950	3221910185312	29,5	CM3	296	175	1 1*
11410513000	3221910185329	30	CM3	296	175	1 1
11410513100	3221910185343	31	CM3	301	180	1 1
11410513200	3221910185350	32	CM4	334	185	1 1
11410513400	3221910185381	34	CM4	339	190	1 1
11410513500	3221910185398	35	CM4	339	190	1 1
11410513600	3221910759964	36	CM4	344	195	1 1
11410513700	3221910185411	37	CM4	344	195	1 1
11410513800	3221910759971	38	CM4	349	200	1 1
11410513900	3221910185435	39	CM4	349	200	1 1
11410514000	3221910185442	40	CM4	349	200	1 1



HSS FULLY GROUND | LONG SERIES
I DRILL MORSE TAPER SHANK.

BROCA HSS RECTIFICADA. SERIE
LARGA. MANGO CÓNICO.

PUNTA HSS ATTACCO CONO MORSE
LUNGO.



For steels and cast irons. Robustness,
accuracy.

Para aceros y fundiciones. Robustez,
precisión.

Foratura di acciai <950 N/mm² e ghise.
Robustezza e precisione.



Steels for heat treatment
200-700N/mm²
Aceros para tratamiento térmico
200-700 N/mm²
Acciai per trattamento termico
200-700N/mm²



Heat Treatable Steels <950N/
mm²
Aceros aleados y tratados <
950N/mm²
Acciai per trattamento termico
<950N/mm²



Austenitic stainless steels
Aceros inoxidables austeníticos
Acciai inossidabili austenitici



Cast iron
Fundiciones
Ghisa

1141101	EAN	Ø	CM	L	I1	QTY PCB
11411010700	3221910187132	7	CM1	174	93	1 1
11411010750	3221910187149	7,5	CM1	174	93	1 1
11411010800	3221910187156	8	CM1	181	100	1 1
11411010850	3221910187187	8,5	CM1	181	100	1 1
11411010900	3221910187217	9	CM1	188	107	1 1
11411010950	3221910187248	9,5	CM1	188	107	1 1
11411010975	3221910187255	9,75	CM1	197	116	1 1*
11411011000	3221910187279	10	CM1	197	116	1 1
11411011020	3221910187293	10,2	CM1	197	116	1 1
11411011025	3221910187309	10,25	CM1	197	116	1 1*
11411011050	3221910187316	10,5	CM1	197	116	1 1
11411011075	3221910187323	10,75	CM1	206	125	1 1*
11411011100	3221910187347	11	CM1	206	125	1 1
11411011125	3221910187361	11,25	CM1	206	125	1 1*
11411011150	3221910187378	11,5	CM1	206	125	1 1
11411011175	3221910187385	11,75	CM1	206	125	1 1
11411011180	3221910187392	11,8	CM1	206	125	1 1
11411011200	3221910187408	12	CM1	215	134	1 1
11411011250	3221910187446	12,5	CM1	215	134	1 1
11411011275	3221910187460	12,75	CM1	215	134	1 1
11411011300	3221910187484	13	CM1	215	134	1 1
11411011325	3221910187507	13,25	CM1	223	142	1 1*
11411011350	3221910187514	13,5	CM1	223	142	1 1
11411011400	3221910187545	14	CM1	223	142	1 1
11411011450	3221910187569	14,5	CM2	245	147	1 1
11411011475	3221910187576	14,75	CM2	245	147	1 1*
11411011500	3221910187583	15	CM2	245	147	1 1
11411011525	3221910187613	15,25	CM2	251	153	1 1
11411011550	3221910187620	15,5	CM2	251	153	1 1
11411011575	3221910187637	15,75	CM2	251	153	1 1
11411011600	3221910187644	16	CM2	251	153	1 1
11411011625	3221910187651	16,25	CM2	257	159	1 1
11411011650	3221910187668	16,5	CM2	257	159	1 1
11411011675	3221910187675	16,75	CM2	257	159	1 1*
11411011700	3221910187682	17	CM2	257	159	1 1
11411011725	3221910187699	17,25	CM2	263	165	1 1*
11411011750	3221910187705	17,5	CM2	263	165	1 1

