



**HSS ISO DIES. C FORM (CAGE 25,4),
M/MF.**

**COJINETES HSS ISO FORMA C
[DIAM. INT. 25,4-38,1-50,8- 63,5]
M/MF.**

**FILIERA HSS ISO, FORMA C (Ø
ESTERNO 25,4), M/MF.**



HSS


**BRIGHT
UNCOATED**

**NFE
74001**

25,4

**C
FORM**

**METRIC
METRIC
FINE**



Multipurpose threading. Comfort,
accuracy.

Roscado multi-aplicación. Confort,
precisión.

Filettatura multiapplicazione. Confort e
precisione.



A

Heat Treatable Steels <400N/
mm²
Aceros aleados y tratados <
400N/mm²
Acciai per trattamento termico
<400N/mm²

B

Heat Treatable Steels <700N/
mm²
Aceros aleados y tratados <
700N/mm²
Acciai per trattamento termico
<700N/mm²

KLM

Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100031	EAN	Ø	P	H	d2	NFE	QTY	PCB	€
1100031020040	3221910552473	M2	0,4	8	25,4	74001	1	1	
1100031025045	3221910552497	M2,5	0,45	8	25,4	74001	1	1	
1100031030050	3221910552503	M3	0,5	8	25,4	74001	1	1	
1100031040070	3221910552534	M4	0,7	8	25,4	74001	1	1	
1100031050080	3221910552589	M5	0,8	8	25,4	74001	1	1	
1100031060100	3221910552626	M6	0,1	9	25,4	74001	1	1	
1100031070100	3221910552640	M7	0,1	9	25,4	74001	1	1	
1100031080125	3221910552688	M8	1,25	9	25,4	74001	1	1	
1100031090125	3221910552718	M9	1,25	9	25,4	74001	1	1	
1100031100150	3221910552749	M10	1,5	9	25,4	74001	1	1	
1100031120175	3221910552770	M12	1,75	9	25,4	74001	1	1	
1100031030060	3221910552510	MF3	0,6	8	25,4	74001	1	1	
1100031035060	3221910552527	MF3,5	0,6	8	25,4	74001	1	1	
1100031040075	3221910552541	MF4	0,75	8	25,4	74001	1	1	
1100031040080	3221910552558	MF4	0,8	8	25,4	74001	1	1	
1100031045075	3221910552565	MF4,5	0,75	8	25,4	74001	1	1	
1100031050075	3221910552572	MF5	0,75	8	25,4	74001	1	1	
1100031050090	3221910552596	MF5	0,9	8	25,4	74001	1	1	
1100031050100	3221910552602	MF5	1	8	25,4	74001	1	1	
1100031060075	3221910552619	MF6	0,75	9	25,4	74001	1	1	
1100031060125	3221910552633	MF6	1,25	9	25,4	74001	1	1	
1100031080100	3221910552671	MF8	1	9	25,4	74001	1	1	
1100031080150	3221910552695	MF8	1,5	9	25,4	74001	1	1	
1100031100100	3221910552725	MF10	1	9	25,4	74001	1	1	
1100031100125	3221910552732	MF10	1,25	9	25,4	74001	1	1	





**HSS ISO DIES. C FORM (CAGE 38,1),
M/MF.**

**COJINETES HSS ISO FORMA C
[DIAM. INT. 25,4-38,1-50,8- 63,5]
M MF.**

**FILIERA HSS ISO, FORMA C (Ø
ESTERNO 38,1), M/MF.**



HSS


**BRIGHT
UNCOATED**

**NFE
74001**

38,1

**C
FORM**

**METRIC
METRIC
FINE**



Multipurpose threading. Comfort,
accuracy.

Roscado multi-aplicación. Confort,
precisión.

Filettatura multiapplicazione. Confort e
precisione.



A

Heat Treatable Steels <400N/
mm²
Aceros aleados y tratados <
400N/mm²
Acciai per trattamento termico
<400N/mm²

B

Heat Treatable Steels <700N/
mm²
Aceros aleados y tratados <
700N/mm²
Acciai per trattamento termico
<700N/mm²

KLM

Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100041	EAN	Ø	P	H	d2	NFE	QTY	PCB	€
1100041080125	3221910553425	M8	1,25	13	38,1	74001	1	1	
1100041090125	3221910553432	M9	1,25	13	38,1	74001	1	1	
1100041100150	3221910553463	M10	1,5	13	38,1	74001	1	1	
1100041110150	3221910553487	M11	1,5	13	38,1	74001	1	1	
1100041120175	3221910553524	M12	1,75	13	38,1	74001	1	1	
1100041130175	3221910553555	M13	1,75	13	38,1	74001	1	1	
1100041140200	3221910553593	M14	2	13	38,1	74001	1	1	
1100041160200	3221910553616	M16	2	13	38,1	74001	1	1	
1100041180250	3221910553647	M18	2,5	13	38,1	74001	1	1	
1100041200250	3221910553661	M20	2,5	13	38,1	74001	1	1	
1100041100100	3221910553449	MF10	1	13	38,1	74001	1	1	
1100041100125	3221910553456	MF10	1,25	13	38,1	74001	1	1	
1100041120100	3221910553494	MF12	1	13	38,1	74001	1	1	
1100041120125	3221910553500	MF12	1,25	13	38,1	74001	1	1	
1100041120150	3221910553517	MF12	1,5	13	38,1	74001	1	1	
1100041130150	3221910553548	MF13	1,5	13	38,1	74001	1	1	
1100041140100	3221910553562	MF14	1	13	38,1	74001	1	1	
1100041140125	3221910553579	MF14	1,25	13	38,1	74001	1	1	
1100041140150	3221910553586	MF14	1,5	13	38,1	74001	1	1	
1100041160150	3221910553609	MF16	1,5	13	38,1	74001	1	1	
1100041180150	3221910553623	MF18	1,5	13	38,1	74001	1	1	
1100041180200	3221910553630	MF18	2	13	38,1	74001	1	1	
1100041200150	3221910553654	M20	1,5	13	38,1	74001	1	1	





HSS ISO DIES. C FORM (CAGE 50,8), M/MF.

COJINETES HSS ISO FORMA C [DIAM. INT. 25,4-38,1-50,8- 63,5] M MF.

FILIERA HSS ISO, FORMA C (Ø ESTERNO 50,8), M/MF.



HSS


BRIGHT UNCOATED

NFE 74001

50,8

C FORM

METRIC METRIC FINE



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.



A

Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B

Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²

KLM

Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



1100051	EAN	Ø	P	H	d2	NFE	QTY	PCB	€
1100051160200	3221910709372	M16	2	17	50,8	74001	1	1	
1100051180250	3221910709396	M18	2,5	17	50,8	74001	1	1	
1100051200250	3221910709419	M20	2,5	17	50,8	74001	1	1	
1100051220250	3221910709433	M22	2,5	17	50,8	74001	1	1	
1100051240300	3221910709457	M24	3	17	50,8	74001	1	1	
1100051270300	3221910709464	M27	3	17	50,8	74001	1	1	
1100051180150	3221910709389	MF18	1,5	17	50,8	74001	1	1	
1100051200150	3221910709402	MF20	1,5	17	50,8	74001	1	1	
1100051220150	3221910709426	MF22	1,5	17	50,8	74001	1	1	
1100051240150	3221910709440	MF24	1,5	17	50,8	74001	1	1	



HSS ISO DIES. C FORM (CAGE 63,5), M/MF.

COJINETES HSS ISO FORMA C [DIAM. INT. 25,4-38,1-50,8- 63,5] M MF.

FILIERA HSS ISO, FORMA C (Ø ESTERNO 63,5), M/MF.



HSS


BRIGHT UNCOATED

NFE 74001

63,5

C FORM

METRIC METRIC FINE



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.



A

Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B

Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²

KLM

Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio



1100061	EAN	Ø	P	H	d2	NFE	QTY	PCB	€
1100061240300	3221910709679	M24	3	20	63,5	74001	1	1	
1100061270300	3221910709709	M27	3	20	63,5	74001	1	1	
1100061300350	3221910709747	M30	3,5	20	63,5	74001	1	1	
1100061330350	3221910709754	M33	3,5	20	63,5	74001	1	1	
1100061360400	3221910709761	M36	4	20	63,5	74001	1	1	
1100061270150	3221910709686	MF27	1,5	20	63,5	74001	1	1	
1100061270200	3221910709693	MF27	2	20	63,5	74001	1	1	
1100061280150	3221910709716	MF28	1,5	20	63,5	74001	1	1	
1100061300150	3221910709723	MF30	1,5	20	63,5	74001	1	1	
1100061300200	3221910709730	MF30	2	20	63,5	74001	1	1	





HSS DIN DIES. B FORM, M.

COJINETES HSS DIN ENTRADA FORMA B M.

FILIERA HSS DIN, FORMA B, M.



HSS


**BRIGHT
UNCOATED**

**EN
22568**

16-75

**GUN
B
FORM**

**ME
TRIC**



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.



A

Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B

Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²

KLM

Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio


1100411	EAN	Ø	P	H	d2	EN	QTY	PCB	€
1100411020040	3221910711955	M2	0,4	5	16	22568	1	1	
1100411025045	3221910711962	M2,5	0,45	5	16	22568	1	1	
1100411030050	3221910711979	M3	0,5	5	20	22568	1	1	
1100411040070	3221910711986	M4	0,7	5	20	22568	1	1	
1100411050080	3221910711993	M5	0,8	7	20	22568	1	1	
1100411060100	3221910712006	M6	1	7	20	22568	1	1	
1100411070100	3221910712013	M7	1	9	25	22568	1	1	
1100411080125	3221910712020	M8	1,25	9	25	22568	1	1	
1100411090125	3221910712037	M9	1,25	9	25	22568	1	1	
1100411100150	3221910712044	M10	1,5	11	30	22568	1	1	
1100411110150	3221910712051	M11	1,5	11	30	22568	1	1	
1100411120175	3221910712068	M12	1,75	14	38	22568	1	1	
1100411140200	3221910712075	M14	2	14	38	22568	1	1	
1100411160200	3221910712082	M16	2	18	45	22568	1	1	
1100411180250	3221910712099	M18	2,5	18	45	22568	1	1	
1100411200250	3221910712105	M20	2,5	18	45	22568	1	1	
1100411220250	3221910712112	M22	2,5	22	55	22568	1	1	
1100411240300	3221910712129	M24	3	22	55	22568	1	1	
1100411270300	3221910712136	M27	3	25	65	22568	1	1	
1100411300350	3221910712143	M30	3,5	25	65	22568	1	1	
1100411330350	3221910712150	M33	3,5	25	65	22568	1	1	
1100411360400	3221910712167	M36	4	25	65	22568	1	1	
1100411390400	3221910712174	M39	4	30	75	22568	1	1	
1100411420450	3221910712181	M42	4,5	30	75	22568	1	1	



**HSS DIN DIES. B FORM, MF.****COJINETES HSS DIN ENTRADA
FORMA B MF.****FILIERA HSS DIN, FORMA B, MF.**

HSS **BRIGHT UNCOATED** **EN 22568** **25-65**

GUN B FORM **METRIC FINE**



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.

A Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²


KLM Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100441	EAN	Ø	P	H	d2	EN	QTY	PCB	€
1100441080100	3221910712761	MF8	1	9	25	22568	1	1	
1100441100100	3221910712778	MF10	1	11	30	22568	1	1	
1100441100125	3221910712785	MF10	1,25	11	30	22568	1	1	
1100441120100	3221910712792	MF12	1	10	38	22568	1	1	
1100441120125	3221910712808	MF12	1,25	10	38	22568	1	1	
1100441120150	3221910712815	MF12	1,5	10	38	22568	1	1	
1100441140100	3221910712822	MF14	1	10	38	22568	1	1	
1100441140125	3221910712839	MF14	1,25	10	38	22568	1	1	
1100441140150	3221910712846	MF14	1,5	10	38	22568	1	1	
1100441160150	3221910712853	MF16	1,5	14	45	22568	1	1	
1100441180150	3221910712860	MF18	1,5	14	45	22568	1	1	
1100441200150	3221910712877	MF20	1,5	14	45	22568	1	1	
1100441220150	3221910712884	MF22	1,5	16	55	22568	1	1	
1100441240150	3221910712891	MF24	1,5	16	55	22568	1	1	
1100441300150	3221910712907	MF30	1,5	18	65	22568	1	1	

**HSS DIN DIES. C FORM, UNC.****COJINETES HSS DIN ENTRADA
FORMA B UNC.****FILIERA HSS DIN, FORMA C, UNC.**

HSS **BRIGHT UNCOATED** **EN 22568** **20-45**

GUN B FORM **UNC**



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.

A Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²


KLM Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100471	EAN	Ø	P	H	d2	EN	QTY	PCB	€
11004710005	3221910713157	UNC5	40	5	20	22568	1	1	
11004710006	3221910713164	UNC6	32	5	20	22568	1	1	
11004710008	3221910713171	UNC8	32	5	20	22568	1	1	
11004710010	3221910713188	UNC10	24	7	20	22568	1	1	
11004710012	3221910713195	UNC12	24	7	20	22568	1	1	
11004710104	3221910713218	UNC1/4	20	7	20	22568	1	1	
11004710516	3221910713249	UNC5/16	18	9	25	22568	1	1	
11004710308	3221910713232	UNC3/8	16	11	30	22568	1	1	
11004710716	3221910713256	UNC7/16	14	11	30	22568	1	1	
11004710102	3221910713201	UNC1/2	13	14	38	22568	1	1	
11004710304	3221910713225	UNC3/4	10	18	45	22568	1	1	



**HSS DIN DIES. B FORM, UNF.****COJINETES HSS DIN ENTRADA
FORMA B UNF.****FILIERA HSS DIN, FORMA B, UNF.**

HSS	BRIGHT UNCOATED	EN 22568	20-45
GUN B FORM	UNF		



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.



A Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²


B Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²

KLM Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100481	EAN	Ø	P	H	d2	EN	QTY	PCB	€
11004810005	3221910713263	UNF5	44	5	20	22568	1	1	
11004810006	3221910713270	UNF6	40	5	20	22568	1	1	
11004810008	3221910713287	UNF8	36	5	20	22568	1	1	
11004810010	3221910713294	UNF10	32	7	20	22568	1	1	
11004810012	3221910713300	UNF12	28	7	20	22568	1	1	
11004810104	3221910713324	UNF1/4	28	7	20	22568	1	1	
11004810516	3221910713355	UNF5/16	24	9	25	22568	1	1	
11004810308	3221910713348	UNF3/8	24	11	30	22568	1	1	
11004810716	3221910713362	UNF7/16	20	11	30	22568	1	1	
11004810102	3221910713317	UNF1/2	20	10	38	22568	1	1	
11004810304	3221910713331	UNF3/4	16	11	45	22568	1	1	

**HSS DIN DIES. B FORM, BSP G.****COJINETES HSS DIN ENTRADA
FORMA B BSP G.****FILIERA HSS DIN, FORMA B, BSP G.**

HSS	BRIGHT UNCOATED	EN 24231	30-90
GUN B FORM	BSP G		



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.



A Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²

B Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²


KLM Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100491	EAN	Ø	P	H	d2	EN	QTY	PCB	€
11004910108	3221910713393	G1/8	28	11	30	24231	1	1	
11004910104	3221910713386	G1/4	19	10	38	24231	1	1	
11004910308	3221910713416	G3/8	19	14	45	24231	1	1	
11004910102	3221910713379	G1/2	14	14	45	24231	1	1	
11004910508	3221910713423	G5/8	14	16	55	24231	1	1	
11004910304	3221910713409	G3/4	14	16	55	24231	1	1	
11004910708	3221910713430	G7/8	14	18	65	24231	1	1	
11004911000	3221910713447	G1	11	18	65	24231	1	1	
11004911104	3221910713461	G1"1/4	11	20	75	24231	1	1	
11004911102	3221910713454	G1"1/2	11	22	90	24231	1	1	



**HSS DIN DIES. B FORM, BSW.****COJINETES HSS DIN ENTRADA
FORMA B BSW.****FILIERA HSS DIN, FORMA B, BSW.**

HSS	BRIGHT UNCOATED	EN 24231	20-55
GUN B FORM	BSW		



Multipurpose threading. Comfort, accuracy.

Roscado multi-aplicación. Confort, precisión.

Filettatura multiapplicazione. Confort e precisione.

A Heat Treatable Steels <400N/mm²
Aceros aleados y tratados < 400N/mm²
Acciai per trattamento termico <400N/mm²


B Heat Treatable Steels <700N/mm²
Aceros aleados y tratados < 700N/mm²
Acciai per trattamento termico <700N/mm²

KLM Aluminium alloys
Aleaciones de aluminio
Leghe di alluminio

1100501	EAN	Ø	P	H	d2	EN	QTY	PCB	€
11005010108	3221910713492	BSW1/8	40	5	20	24231	1	1	
11005010532	3221910713553	BSW5/32	32	5	20	24231	1	1	
11005010316	3221910713522	BSW3/16	24	7	20	24231	1	1	
11005010104	3221910713485	BSW1/4	20	7	20	24231	1	1	
11005010516	3221910713546	BSW5/16	18	9	25	24231	1	1	
11005010308	3221910713515	BSW3/8	16	11	30	24231	1	1	
11005010716	3221910713577	BSW7/16	14	11	30	24231	1	1	
11005010102	3221910713478	BSW1/2	12	14	38	24231	1	1	
11005010508	3221910713539	BSW5/8	11	18	45	24231	1	1	
11005010304	3221910713508	BSW3/4	10	18	45	24231	1	1	
11005010708	3221910713560	BSW7/8	9	22	55	24231	1	1	
11005011000	3221910713584	BSW1"	8	22	55	24231	1	1	

**DIE HOLDER. STEEL BODY AND HANDLE.****PORTA COJINETES (ACERO).****PORTA FILIERA. CORPO E MANICO IN ACCIAIO.**

TIVOLY NORM			



Hand threading. Robustness, life span.

Roscado manual. Robustez, duracion de vida.

Filettatura manuale. Robustezza, lunga durata.

1110041	EAN	d2	TIV.	H	QTY	PCB	€
11100410254	3221910554309	25,4	-	-	1	1	
11100410381	3221910554316	38,1	-	-	1	1	
11100410508	3221910554347	50,8	-	-	1	1	
11100410635	3221910554354	63,5	-	-	1	1	
11100410205	3221910554477	20	-	5	-	1	1
11100410207	3221910554491	20	-	7	-	1	1
11100410259	3221910554514	25	-	9	-	1	1
11100413011	3221910554583	30	-	11	-	1	1
11100413810	3221910554590	38	-	10	-	1	1
11100413814	3221910554606	38	-	14	-	1	1
11100414514	3221910554613	45	-	14	-	1	1
11100414518	3221910554620	45	-	18	-	1	1
11100415516	3221910554637	55	-	16	-	1	1
11100415522	3221910554644	55	-	22	-	1	1
11100416518	3221910554651	65	-	18	-	1	1
11100416525	3221910554668	65	-	25	-	1	1






END DIE HOLDER. STEEL BODY.

ALARGADOR DE PORTA COJINETES (ACERO).

PORTA FILIERA VERTICALE. CORPO IN ACCIAIO.



Machine threading. Robustness, life span.

Roscado a máquina. Robustez, duración de vida.

Filettatura manuale. Robustezza, lunga durata.



1110051	EAN	Ø	QTY PCB	€
11100510254	3221910714642	25,4	1 1	
11100510381	3221910714659	38,1	1 1	

