





### DIAMANT BI-TORSION BIT | S/DRIVER BIT FOR TORX SCREWS

### DIAMANT BI-TORSIÓN | PUNTAS DE ATORNILLADO TORX

### DIAMANTATO BI-TORSION | INSERTI PER VITI TORX




Diamant Bi-Torsion bit : for the toughest screwdriving jobs, for large scale driving tasks.

Punta Bi-Torsión Diamant: Para los atornillados más exigentes, especialmente para atornillados en gran serie.

L'Inserto Bi-Torsion Diamantato: per l'utilizzatori piu esigenti, nettamente utilizzo in grande serie.



For Torx screws  
Para tornillos Torx  
Per viti con impronta Torx



=> ØA  
=> ØA  
=> ØA



1152352	EAN	N	L	ØA	QTY PCB
11523521000	3221910868079	N10	25	3-3,5	1 3
11523521500	3221910868086	N15	25	3,5-3,9	1 3
11523522000	3221910868093	N20	25	4-4,2	1 3
11523522500	3221910868109	N25	25	5-5,5	1 3
11523523000	3221910868116	N30	25	6-6,3	1 3
11523524000	3221910868123	N40	25	8	1 3



### EXTRA TOUGH TORSION BIT | S/DRIVER BIT FOR POZIDRIV SCREWS

### EXTRA DURA TORSIÓN | PUNTAS DE ATORNILLADO POZIDRIV

### EXTRA DURO TORSION | INSERTI PER VITI POZIDRIV



Extra Tough Screwdriver bit : for tasks in soft materials | Avoids premature wear | Torsion zone.

Punta extra-dura: Para el atornillado en materiales blandos. Evita el desgaste precoz. | Efecto torsión.

L'Inserto Extra Duro: per le avvitature in materiali teneri | Evita l'usura precoce | Effetto Torsion.



For Pozidriv screws  
Para tornillos Pozidriv  
Per viti con impronta Pozidriv



=> ØA  
=> ØA  
=> ØA

1152222	EAN	N	L	ØA	QTY PCB
11522220001	3221910867522	N1-2-3	25	2,5-3/3,5-5/5,5-7	3 1
11522220100	3221910867539	N1	25	2,5-3	1 3
11522220200	3221910867546	N2	25	3,5-5	1 3
11522220300	3221910867553	N3	25	5,5-7	1 3



1152226	EAN	N	L	ØA	QTY PCB
11522260200	3221910896331	N2	25	3,5-5	10 3







**EXTRA TOUGH TORSION BIT | S/  
DRIVER BIT FOR POZIDRIV SCREWS**

**EXTRA DURA TORSIÓN | PUNTAS  
DE ATORNILLADO POZIDRIV**

**EXTRA DURO TORSION | INSERTI  
PER VITI POZIDRIV**




Extra Tough Screwdriver bit : for tasks in soft materials | Avoids premature wear | Torsion zone.

Punta extra-dura: Para el atornillado en materiales blandos. Evita el desgaste precoz. | Efecto torsión.

L'Inserto Extra Duro: per le avvitature in materiali teneri | Evita l'usura precoce | Effetto Torsion.



For Pozidriv screws  
Para tornillos Pozidriv  
Per viti con impronta Pozidriv



=> ØA  
=> ØA  
=> ØA

1152272	EAN	N	L	ØA	QTY PCB
11522720100	3221910867782	N1	50	2,5-3	1 3
11522720200	3221910867799	N2	50	3,5-5	1 3
11522720300	3221910867805	N3	50	5,5-7	1 3



1152276	EAN	N	L	ØA	QTY PCB
11522760200	3221910896409	N2	50	3,5-5	5 3



**EXTRA TOUGH TORSION BIT | S/  
DRIVER BIT FOR PHILLIPS SCREWS**

**EXTRA DURA TORSIÓN | PUNTAS  
DE ATORNILLADO PHILIPS**

**EXTRA DURO TORSION | INSERTI  
PER VITI PHILIPS**




Extra Tough Screwdriver bit : for tasks in soft materials | Avoids premature wear | Torsion zone.

Punta extra-dura: Para el atornillado en materiales blandos. Evita el desgaste precoz. | Efecto torsión.

L'Inserto Extra Duro: per le avvitature in materiali teneri | Evita l'usura precoce | Effetto Torsion.



For Philips screws  
Para tornillos Philips  
Per viti con impronta Philips



=> ØA  
=> ØA  
=> ØA

1152232	EAN	N	L	ØA	QTY PCB
11522320001	3221910867591	N1-2-3	25	2,5-3/3,5-5/5,5-7	3 1
11522320100	3221910867607	N1	25	2,5-3	1 3
11522320200	3221910867614	N2	25	3,5-5	1 3
11522320300	3221910867621	N3	25	5,5-7	1 3





1152236	EAN	N	L	ØA	QTY PCB
11522360200	3221910896348	N2	25	3,5-5	10 3



**EXTRA TOUGH TORSION BIT | S/  
DRIVER BIT FOR PHILLIPS SCREWS**

**EXTRA DURA TORSIÓN | PUNTAS  
DE ATORNILLADO PHILLIPS**

**EXTRA DURO TORSION | INSERTI  
PER VITI PHILIPS**




Extra Tough Screwdriver bit : for tasks in soft materials | Avoids premature wear | Torsion zone.

Punta extra-dura: Para el atornillado en materiales blandos. Evita el desgaste precoz. | Efecto torsión.

L'Inserto Extra Duro: per le avvitature in materiali teneri | Evita l'usura precoce | Effetto Torsion.



For Philips screws  
Para tornillos Philips  
Per viti con impronta Philips



=> ØA  
=> ØA  
=> ØA

1152282	EAN	N	L	ØA	QTY PCB
11522820100	3221910867843	N1	50	2,5-3	1 3
11522820200	3221910867850	N2	50	3,5-5	1 3
11522820300	3221910867867	N3	50	5,5-7	1 3



1152286	EAN	N	L	ØA	QTY PCB
11522860200	3221910896416	N2	50	3,5-5	5 3







**EXTRA TOUGH TORSION BIT | S/  
DRIVER BIT FOR TORX SCREWS**

**EXTRA DURA TORSIÓN | PUNTAS  
DE ATORNILLADO TORX**

**EXTRA DURO TORSION | INSERTI  
PER VITI TORX**



Extra Tough Screwdriver bit : for tasks in soft materials | Avoids premature wear | Torsion zone.

Punta extra-dura: Para el atornillado en materiales blandos. Evita el desgaste precoz. | Efecto torsión.

L'Inserto Extra Duro: per le avvitature in materiali teneri | Evita l'usura precoce | Effetto Torsion.



For Torx screws  
Para tornillos Torx  
Per viti con impronta Torx



=> ØA  
=> ØA  
=> ØA

1152252	EAN	N	L	ØA	QTY PCB
11522521000	3221910867690	N10	25	3-3,5	1 3
11522521500	3221910867706	N15	25	3,5-3,9	1 3
11522522000	3221910867713	N20	25	4-4,2	1 3
11522522500	3221910867720	N25	25	5-5,5	1 3
11522523000	3221910867737	N30	25	6-6,3	1 3
11522524000	3221910867744	N40	25	8	1 3




1152256	EAN	N	L	ØA	QTY PCB
11522561000	3221910896355	N10	25	3-3,5	10 3
11522561500	3221910896362	N15	25	3,5-3,9	10 3
11522562000	3221910896379	N20	25	4-4,2	10 3
11522562500	3221910896386	N25	25	5-5,5	10 3
11522563000	3221910896393	N30	25	6-6,3	10 3



**TORSION | SCREWDRIVER BITS FOR  
SLOTTED SCREWS**

**TORSIÓN | PUNTAS DE ATORNIL-  
LADO RANURA**

**TORSION | INSERTI PER VITI TAGLIO**



Torsion bit : ideal for screwdriving in metal & hard materials | Torsion zone.

Punta de Torsión: ideal para el atornillado en metal y materiales duros | Efecto Torsión.

L'Inserto Torsion: ideale per l'avvitatura in materiali metallici e materiali duri | Effetto Torsion.



For slot screws  
Para tornillos hendidura  
Perviti con impronta taglio



=> ØA  
=> ØA  
=> ØA

1152012	EAN	Ø	L	ØA	QTY PCB
11520120400	3221910866921	4	25	2,5-2,9	2 6
11520120450	3221910866938	4.5	25	2,2-2,5	2 6
11520120550	3221910866945	5.5	25	2,9-3,5	2 6
11520120650	3221910866952	6.5	25	5	2 6

