




BI-METAL HOLESAW | GENERAL PURPOSE



HSS teeth. Ideal for making holes for pipes & tubes. Variable tooth geometry for fast accurate cutting

Acero HSS. Ideal para pasar tuberías, de conductos. Rapidez y precisión gracias al dentado de paso variable.

SEGA A TAZZA BI-METALLO I 1 LAMA I USO CORRENTE



Acciaio HSS. Ideale per il passaggio di tubi, condotti. Velocità e precisione grazie alla dentatura a passo variabile.



Metal
Metal
Metallo



Plastic
Plástico
Plastica



Wood
Madera
Legno

XT52032	EAN	Ø	I	QTY PCB
XT50522052200	3128820522001	19	38	1 1
XT50522052204	3128820522049	22	38	1 1
XT50522052206	3128820522063	25	38	1 1
XT50522052208	3128820522087	27	38	1 1*
XT50522052210	3128820522100	29	38	1 1
XT50522052212	3128820522124	30	38	1 1
XT50522052214	3128820522148	32	38	1 1
XT50522052216	3128820522162	35	38	1 1
XT50522052218	3128820522186	38	38	1 1*
XT50522052220	3128820522209	40	38	1 1
XT50522052222	3128820522223	44	38	1 1
XT50522052224	3128820522247	51	38	1 1
XT50522052226	3128820522261	57	38	1 1*
XT50522052228	3128820522285	60	38	1 1
XT50522052230	3128820522308	65	38	1 1
XT50522052231	3128820522315	67	38	1 1
XT50522052232	3128820522322	68	38	1 1
XT50522052234	3128820522346	73	38	1 1
XT50522052236	3128820522360	76	38	1 1
XT50522052238	3128820522384	83	38	1 1
XT50522052240	3128820522407	92	38	1 1*
XT50522052242	3128820522421	95	38	1 1*
XT50522052244	3128820522445	102	38	1 1







BI-METAL HOLESAW SDS+ | GENERAL PURPOSE

SIERRA CORONA BI-METAL SDS+ / 1 HOJA/ USO CORRIENTE

SEGA A TAZZA BI-METALLO SDS+ | 1 LAMA | USO CORRENTE



HSS teeth. Ideal for making holes for pipes & tubes. Variable tooth geometry for fast accurate cutting

Acero HSS. Ideal para pasar tuberías, de conductos. Rapidez y precisión gracias al dentado de paso variable.

Acciaio HSS. Ideale per il passaggio di tubi, condotti. Velocità e precisione grazie alla dentatura a passo variabile.



Metal
Metal
Metallo



Plastic
Plástico
Plastica



Wood
Madera
Legno


XT52042	EAN	Ø	l	QTY PCB	
XT50522052229	3128820522292	65 SDS	38	1	1
XT50522052233	3128820522339	67 SDS	38	1	1



ADAPTER + PILOT BIT - BIMETAL | HEX SHANK

HUSILLO GUÍA BIM/ MANGO HEXA

ALBERO PILOTA BIM | CODOLO ESAGONALE



Hex shank Adapter + HSS pilot bit for Bimetal Holesaws

Husillo guía con mango Hexagonal + broca centradora HSS para sierra corona BIM

Albero pilota a codolo esagonale + punta di centraggio HSS per sega a tazza BIM




XT52052	EAN	Ø	d2	QTY PCB	
XT50522052248	3128820522483	14>30	9,5	1	1
XT50522052250	3128820522506	32>152	11	1	1



#14



#14

**PILOT BIT - BIMETAL | SDS+****HUSILLO GUÍA BIM/ MANGO SDS+****PUNTE PILOTA BIM | CODOLO SDS+**

SDS shank Adapter + HSS pilot bit for Bimetal Holesaws

Husillo guía con mango SDS+ + broca centradora HSS para sierra corona BIM

Albero pilota a codolo SDS+ + punta di centraggio HSS per sega a tazza BIM



XT52052	EAN	Ø	QTY PCB	
XT50522052256	3128820522568	14>30	1	1
XT50522052258	3128820522582	32>152	1	1

**PILOT BIT - HSS****BROCA GUÍA HSS****PUNTA PILOTA HSS**

XT50522052246		
3128820522469		
QTY	PCB	
1	1	

HSS Pilot bit with 3 flats - for Bimetal holesaws

Broca centradora HSS-Mango con 3 caras para sierra corona BIM

Punte di centraggio HSS - Codolo a 3 faccie per sega a tazza BIM

**HOLE CUTTER FOR SINKS/PIPES****PERFORADOR & CORTADOR GRIFO****PERFORAZIONE E TAGLIO LAVELLI**

Cutter for thin sheet metal(2mm).Ideal for tap installation in stainless steel sinks

Cortador de chapa de bajo espesor (2mm). Ideal para la colocación de grifos en los fregaderos en Inox.

Taglio di lamiera a basso spessore (2mm). Ideale per la posa di rubinetti in lavandini in inox.

Stainless Steel
Aceros inoxidables
Acciai inossidabiliSheet Steel
Chapas
Lamiera

XT52062	EAN	Ø	I	QTY PCB	
XT50522052300	3128820523008	28	55	1	1
XT50522052302	3128820523022	32	55	1	1
XT50522052304	3128820523046	35	55	1	1

