

# DRILL BITS SDS+ SDSmax DUSTOFF

INTENSIVE USE



### ■ DRILL BITS WITH DUST ASPIRATION

APPLICATIONS: MASONRY, STONE, BRICK, RESISTANT MATERIALS
HEALTH & PRODUCTIVITY







## **DUSTOFF DRILL BITS**

RESISTANT MATERIALS INTENSIVE USE

#### INNOVATION

Thanks to its drilling experience, Tivoly brings to its users a new understanding of the problems of improving working conditions and productivity. Tivoly innovates by launching its first drill bits with integrated dust extraction. Simple implementation and amazing results!



Tivoly supports efforts to reduce workplace risks.

**Dust inhaled by users can cause** serious illness. It is suspected of being carcinogenic.

This is why everything must be done to avoid it.

#### PRODUCTIVITY

The DUSTOFF TIVOLY drill bit combines two steps in one. It drills and sucks dust. Connected to an industrial vacuum \*, it eliminates the tedious operations of cleaning of the holes and the site.

#### CERTIFIED

The drill bit DUSTOFF TIVOLY is ideal for the implementation of chemical plugs, it is certified for systems of injection with mastic. The DUSTOFF drill bit is also recommended for installing ankle-free concrete screws and dowels.



MADE IN GERMANY

Shank SDS+ **SDSmax** 

SDS

Suction sleeve adaptable to any industrial vacuum cleaner.

**Maximized suction holes** 98% of the dust removed



Fusible high-strength carbide Special geometry reducing to ultra-fine powder dust.







TIVOLY | Drilling



## **DUSTOFF DRILL BITS**

RESISTANT MATERIALS INTENSIVE USE

#### **APPLICATIONS**

**Drilling for fastenings by:** 

- Concrete screw without ankle.
- Anchor studs
- Chemical anchors





**Drilling of reinforced concrete** frame connections by reinforcement connection.










PERFORMANCE



Multi diameters test with SDS+





Lifetime and speed

#### Time to install a chemical anchor

100

50





**TIVOLY** Drilling











## SDS DUSTOFF DRILL BITS

Drill bits with dust aspiration















1091763	EAN	Ø	L	_ 1	QTY	РСВ
10917630800	3221912141040	8	270	150	1	1
10917631000	3221912141057	10	270	150	1	1
10917631200	3221912141064	12	230	200	1	1
10917631400	3221912141071	14	370	250	1	1
10917631600	3221912141088	16	370	250	1	1
10917631800	3221912141095	18	370	250	1	1
10917632000	3221912141101	20	370	250	1	1
10917632400	3221912141118	24	370	250	1	1

















1091773	EAN	Ø	L	1	QTY	PCB
10917731400	3221912141125	14	600	400	1	1
10917731600	3221912141132	16	600	400	1	1
10917731800	3221912141149	18	600	400	1	1
10917732000	3221912141156	20	600	400	1	1
10917732200	3221912141163	22	600	400	1	1
10917732500	3221912141170	25	600	400	1	1
10917732800	3221912141187	28	600	400	1	1
10917733000	3221912141194	30	600	400	1	1
10917733200	3221912141200	32	600	400	1	1
10917733500	3221912141217	35	600	400	1	1











Val. max : Ø<25 mm --> 5KG / 10 J Ø>25 mm --> 8KG / 13 J



TIVOLY | Drilling



\*Vacuum cleaner :

Class: M debit V >= 40 l/sec, depression: p > 230 mbar